

Collection no. 182

Koongarra & environs.

K.H.L. Key & party

N.T.

6-10. iii. 1973

+ *Heterosium Australiense*

6/3. [plant identifications by M. Lazard]

*Zebratula flavonigra*, *Adiantum erythrophyllum*,  
Collected from Koongarra about 3 of the  
*Macrocarpa conglobata*, *Canterburya mediocris*, *Arctya*  
way towards the saddle on road to  
sp. 1, A. sp. 4, *Cypripedium* sp. 1, *Genus* nov. 70 sp. 1, *Perbellia*  
airship. Open forest on sandy loam around  
pieta, *Sorghum stipoides* *Happarana*  
camp, with *Sorghum* to 8ft + patches of  
*pallida*, *Macrocarpa* sp. 17, *Convolvulus* sp. 4, *Microra*  
lower, with shorter grass, forbs + shrublets.  
sp. 19, *Tolgaia infirma*, *Thurittata*, *Genus* nov. 77 sp. 1,  
Higher up, eucalypt forest with *Acacia* spp.,  
*Desertaria* sp. 10, *Bernieria curvicauda*, *Qualitella* sp. 1,  
occ. *Calyptra*, some *Tridax* on rocky spur,  
*Heterosium obscurum*, *Genus* nov. 105 sp. 1, *Gen.* nov. 105 sp. 2,  
various forbs + shrublets. *Arctya* on rocky  
*Rectropis* sp., *Genus* nov. 106 sp. 1, *moraine* spp. P1486 P158,  
rises. *Macrocarpa* on bare ground. *Happarana*  
*Dafferia acicola*, *Lonicera vocans*, *Lonicera* sp. 3,  
on a slightly fatty, but green, beer-  
*Triumfetta* sp. (*Tiliaceae*) *Genus* nov. 61 sp. 2,  
producing shrublet (spec.). *Dafferia* on  
*Genus* nov. 98 sp. 1, *Genus* nov. 95 sp. 15, *Bardillana cimbata*,  
*Pandanus* regrowth. *Bernieria curvicauda*  
on hygrophilous grasses, usually in  
association with *Pandanus*. Had new  
genus (brachytrous) on a prostrate  
*Hibbertia* sp.  
~~*Halimolobos*~~ plant (spec.), *Cypripedium* on  
sandy areas with low sparse grass.  
*Hastella* sp. P1486 on grasses in *Sorghum*

*Dampiera conospermoides* W. V. Fitzg.

*Pityrodia puberula* Munier



dominated herbaceous stratum. *Orealleta*  
sp. (~~or new genus~~) on rather flat rocky areas.  
Genus nov. 77 + nymph of Genus nov. 79 on  
fine-leaved green *Triodia*.

7/3. (1) am. Koorngarra to ca. 2 km W. Open  
*Daperria accola*, *Talgadia infima*, *Xantemaria*  
forest with *Sorghum* to 8 ft + adjacent  
*medicris*, *Gastromargus narsicus*, *Berninus*.  
base of scarp with lower vegetation,  
including shrublets + forbs. *Macrocara* sp. 1

*Coryphistes* sp. 4, *Calophilla australis*, *Zebratula*  
on sandy areas with sparse low grass.  
*flavonigra*, *Desertaria* sp. 10, *Adlappa erythroptera*

(2) pm. Saddle to Petasida camp. *Stropis* nymphs  
+ adults on *Dampiera* sp. (spec.). *Petasida*  
*guttulosa*, *Petasida ephippigera*, *Desertaria* sp. 10,  
on *Pityrodia jamesii* (1), another aromatic  
shrublet (spec.) (1: seen feeding) *Coryphistes* sp. 4,  
Genus nov. 70 sp. 1, Genus nov. *Acacia* sp. 77 sp. 1,

*Phasmatis* on an *Acacia* (spec.), near  
*Xantemaria medicris*, *Gonialoe vocans*, Genus nov. 105  
lps, at Petasida camp. *Coryphistes* on trunks  
of the mustard-coloured fluffy-barked euc. &  
of *Acacia* sp.

(1) am. *Macrocara* sp. 17, *Daperria accola*  
8/3. Saddle to Upton's Gorge. *Calophilla* most  
abundant on open, slightly swampy areas.  
*australis*, *Reckitropis* sp., *Xantemaria medicris*,  
*Petasida* on *Pityrodia jamesii* near Upton's  
Gorge. *Geckomima* seen mainly as 3-  
grown nymphs. *Moraba* sp. on a broad-  
*Coryphistes* sp. 4, *Morabine* sp. P200 (?), Genus nov. 61 sp. 2,  
*Clypechtia* sp. 1, Genus nov. 106 sp. 1, *Desertaria* sp. 10 (j),



*Heteropternis obscurula*, *Happarana pallida*, *Tolgadina*  
leafed shrub or tree regrowth to 3ft. near  
*infirma*, *Microcala* sp. 19, *Morabine* spp. 148, 199, *Petasida*  
Saddle against base of scap. *ephippiger*

(2) pm. *Tolgadina livittata* in grass to 2-3ft  
stunted *Tolgadina livittata*  
in *Mela leuca* swamps at Koongarra.

9/3. (1) Koongarra to "Anomaly X", skirting southern  
*Microcala* sp. 15, *Genus* nov. 61 sp. 2, *Peakesia straminea*,  
side of range. *Calidia* on short grass (6in)  
*Tolgadina infirma*, *Caloptilla australis*, *Calidia captiva*,  
fringing *Pandanus* swamp. *Stenocatantops*  
*Goniodeidea* sp. 3, *Bermius cerviculus*, *Macrocara*  
*Keyi* in grass to 3ft, somewhat swampy.  
*conglobata*, *Daperria decola*, also *Spechiforma*, *Adlappa*  
*Peakesia* & *Goniodeidea*, on lateritic  
*erythroptera*, *Genus* nov. 70 sp. 1 (f), *Dyspechta* sp. 1,  
gravel flat with grasses & forbs mainly  
*Rectitropis* sp., *Morabine* spp. 158, 148, *Stenocatantops* *Keyi*,  
to 9-12in. *Microcala* on lateritic gravel  
*Pardillana limbata*,  
bearing small tussocks of green

*Triodia* to 1ft. Saw adult *Stenocatantops*  
*angustifrons* &  
*Anstracris basalis*.

(2) *Qualitza* on flat with small stones  
*Arctya* sp. 1, *Qualitza* sp. 1, *Perbellia picta*, *Genus* nov. 61  
& flat rock exposures, as on 6/3. sp. 2

10/3. Noranda "sump" to *Petasida* camp.

*Adlappa erythroptera*, *Atractomorpha similis*, *Loxobolus*  
*Tetrigids* in *Pandanus* swamp in semi-  
spp. 1, 2, *Genus* nov. 106 sp. 1 (f), *Genus* nov. 61 sp. 2,  
rainforest at "sump". *Moraba* sp. (also  
*Morabine* spp. 148, 158, 199, *Genus* nov. 105 sp. 1, *Rectitropis*  
a few nymphs) on a scrambling  
sp. *Daviesia reclinata* Benson  
papilionaceous shrub or perennial herb

(spec.) at in sheltered gully at *Petasida*  
camp, *Atractomorpha* at sump.